TABLE OF CONTENTS, VOLUME SIXTY-FIVE

October-December 1997

Alternaria Themes and Variations (151 - 223)	1
R. F. Castañeda Ruíz, B. Kendrick, and J. Guarro	93
A new species of Amaurodon (Basidiomycota, Aphyllophorales).	
U. Köljalg and L. Ryvarden	107
Striosphaeropsis mirabilis anam. gen. et sp. nov., a new coelomycete isolated from soil	
in Papua New GuineaGerard J. M. Verkley and Huub A. van der Aa	113
More conidial fungi from La Gomera, Canary Islands, Spain.	
R. F. Castañeda Ruíz, J. Guarro, M. J. Figueras, J. Gené, and J. Cano	
Taxonomical studies on Ustilaginales. XVI	133
Taxonomical studies on Ustilaginales. XVII	
Websdanea, a new genus of smut fungi	183
A new bluing Psilocybe from U. S. A.	
Gastón Guzmán, Fidel Tapia, and Paul Stamets	191
Corticioid Aphyllophorales (Basidiomycota) from the Patagonian Andes forests of Argentina. 1. Lachnocladiaceae on Nothofagus pumilio.	
Alina G. Greslebin and Mario Rajchenberg	197
Corticioid Aphyllophorales (Basidiomycota) from the Patagonian Andes forests of	
Argentina. 2. Hyphodontia decorticans sp. nov.	
Alina G. Greslebin and Mario Rajchenberg	205
Evidence of truffles in Serbia.	
Jasmina Glamočlija, Radmila Vujičić, and Jelena Vukojević	211
Ustilaginales from the Spanish Pyrenees and Andorra.	
Teresa Almaraz and Guy Durrieu	223
A synopsis of Marasmiellus in the southern Appalachian Mountains.	
Dennis E. Desjardin	237
Compatibility groups, species concepts and nomenclature in European Armillaria species.	
A. J. Termorshuizen and E. J. M. Arnolds	263
Synopsis of the genus Inonotus (Basidiomycetes) sensu lato in China.	-
Yu-Cheng Dai, Tuomo Niemelä, and Mu Zang	273
Cantharellus formosus and the Pacific Golden Chanterelle harvest in western North America.	
Scott A. Redhead, Lorelei L. Norvell, and Eric Danell	285
Resinicium friabile sp. nov. and a survey of the genus Resinicium (Basidiomycotina,	
Aphyllophorales)	323
Argentinomyces naviculisporis gen. et sp. nov., a new marine lignicolous ascomycete from	-
Mardel Plata, Argentina	331
Wegea, a new genus of non-lichenized, calicioid ascomycetes in the Arthoniales.	00,
André Aptroot and Leif Tibell	339
An annotated list of the Aphyllophorales of the Balearic Islands.	337
M. T. Tellería, I. Melo, and M. Dueñas	353
Scutellospora persica (Glomales, Zygomycetes), an arbuscular mycorrhizal fungus new	220
to the mycota of Poland	370
Contribution to the knowledge of North American Suillus species (Basidiomycotina,	215
Boletales)	301
Rhodotus palmatus (Basidiomycetes, Agaricales, Tricholomataceae) in Illinois.	371
W. J. Sundberg, A. S. Methven, and H. L. Monoson	400
Anthracoideaceae, a new family in the Ustilaginales	
New combinations in Bauhinus (Microbotryaceae)	
Notes on Hawaiian ConiophoraceaeRobert L. Gilbertson and Don E. Hemmes	
A new species of Ascobolus from Taiwan Yei-Zeng Wang and J. van Brummelen	
Peziza urinophila, a new ammonophilic discomycete.	-7-6
Yei-Zeng Wang and Naohiko Sagara	AA*
rei-Zeng wang and Naoniko Sagara	-

Pseudostracoderma, a new genus of hyphomycetes from Tierra del Fuego, Argentina.	
Alicia E. Martinez and Alicia M. Godeas	453
Leaf scorch of purple nutsedge (Cyperus rotundus) caused by Ascochyta	
cyperiphthora sp. nov	459
Taxonomy of Royoporus badius comb. nov	469
The lichen genera Canomaculina and Rimeliella (Ascomycotina, Parmeliaceae).	
John A. Elix	475
Further new species in the lichen family Parmeliaceae (Ascomycotina) from Australasia.	
John A. Elix	481
A new species of Pseudaegerita from Italy.	
Samir K. Abdullah, Josepa Gené, and Josep Guarro	493
Syncarpella ribis sp. nov. and its anamorph, Syntholus ribis gen. et sp. nov.	
Annette W. Ramaley and Margaret E. Barr	499
Mucor troglophilus, a new species from cave crickets	
Grégoire L. Hennebert, Nina Gunde-Cimerman, and Aleska Cimerman	507
Phomopsis azadirachtae sp. nov. from India.	
M. K. Sateesh, S. Shankara Bhat, and N. S. Devaki	
Book ReviewsEric H. C. McKenzie	521
Emata.	525
Author Index	527
Index to Fungous and Lichen Taxa	529
Reviewers	540
Publication Date, Volume 64.	540
Journal Publication Statement	540



ERRATA

VOLUME SIXTY-THREE

Page 345, line 36	for Trichosporon roberoi	read Trichosporon riberoi
	VOLUME SIXTY-FIVE	
Page 96, line 10 98, line 9	for syzgii	read sizygii
Page 354, line 3	for gaillardi	read gaillardii
Page 371, line 39	for subrabuptum	read subabruptum
Page 372, line 51	for leucomallelus	read leucomallellus
Page 459, line 27	for acsess	read access
Page 460, line 1	for bicontrol	read biocontrol

Author Index, Volume Sixty-five

Aa, Huub A. van der, see Verkley and van der Aa

Abdullah, Samir K., Josepa Gené, and Josep Guarro. A new species of Pseudaegerita from Italy, 65: 493-497. 1997.

Almaraz, Teresa, and Guy Durrieu. Ustilaginales from the Spanish Pyrenees and Andorra, 65: 223-236. 1997.

Aptroot, André, and Leif Tibell. Wegea, a new genus of non-lichenized, calicioid ascomycetes in the Arthoniales, 65: 339-351. 1997.

Arambarri, Angélica M., see Peña and Arambarri

Arnolds, E. J. M., see Termorshuizen and Arnolds

Barr, Margaret E., see Ramaley and Barr

Barreto, R. W., see Pomella and Barreto

Błaszkowski, Janusz, and Mariusz Tadych. Scutellospora persica (Glomales, Zygomycetes), an arbuscular mycorrhizal fungus new to the mycota of Poland, 65: 379-390.

Brummelen, J. van, see Wang and van Brummelen

Cano, J., see Castañeda Ruíz & al.

Castañeda Ruíz, R. F., J. Guarro, M. J. Figueras, J. Gené, and J. Cano. More conidial fungi from La Gomera, Canary Islands, Spain, 65: 121-131. 1997.

Castañeda Ruíz, R. F., B. Kendrick, and J. Guarro. Notes on conidial fungi. XIV. New hyphomycetes from Cuba, 65: 93-105. 1997.

Cimerman, Aleska, see Zalar & al.

Dai, Yu-Cheng, Tuomo Niemelä, and Mu Zang. Synopsis of the genus Inonotus (Basidiomycetes) sensu lato in China, 65: 273-283. 1997.

Danell, Eric, see Redhead & al.

De, A. B. Taxonomy of Royoporus badius comb. nov., 65: 469-474. 1997.

Denchev, Cvetomir M. Anthracoideaceae, a new family in the Ustilaginales, 65: 411-417. 1997. Denchev, Cvetomir M. New combinations in *Bauhinus* (Microbotryaceae), 65: 419-426. 1997.

Desjardin, Dennis E. A synopsis of Marasmiellus in the southern Appalachian Mountains, 65: 237-261. 1997.

Devaki, N. S., see Sateesh & al.

Dueñas, M., see Tellería & al.

Durrieu, Guy, see Almaraz and Durrieu

Elix, John A. Further new species in the lichen family Parmeliaceae (Ascomycotina) from Australasia, 65: 481-491. 1997.

Elix, John A. The lichen genera Canomaculina and Rimeliella (Ascomycotina, Parmeliaceae), 65: 475-479, 1997.

Figueras, M. J., see Castañeda Ruíz & al.

Gené, J., see Castañeda Ruíz & al.

Gené, Josepa, see Abdullah & al.

Gilbertson, Robert L., and Don E. Hemmes. Notes on Hawaiian Coniophoraceae, 65: 427-442. 1997.

Glamočlija, Jasmina, Radmila Vujičić, and Jelena Vukojević. Evidence of truffles in Serbia. 65: 211-222. 1997.

Godeas, Alicia M., see Martinez and Godeas

Greslebin, Alina G., and Mario Rajchenberg. Corticioid Aphyllophorales (Basidiomycota) from the Patagonian Andes forests of Argentina. 1. Lachnocladiaceae on Nothofagus pumilio, 65: 197-203. 1997.

Greslebin, Alina G., and Mario Rajchenberg. Corticioid Aphyllophorales (Basidiomycota) from the Patagonian Andes forests of Argentina. 2. Hyphodontia decorticans sp. nov., 65: 205-209, 1997.

Guarro, J., see Castañeda Ruíz & al.

Guarro, Josep, see Abdullah & al.

Gunde-Cimerman, Nina, see Zalar & al.

Guzmán, Gastón, Fidel Tapin, and Paul Stamets. A new bluing Psilocybe from U. S. A., 65: 191-195. 1997. Hemmes, Don E., see Gilbertson and Hemmes

Hennebert, Grégoire L., see Zalar & al.

Hjortstam, Kurt, and Ireneia Melo. Resinicium friabile sp. nov. and a survey of the genus Resinicium (Basidiomycotina, Aphyllophorales), 65: 323-329. 1997.

Kendrick, B., see Castañeda Ruíz & al.

Köljalg, U., and L. Ryvarden. A new species of Amaurodon (Basidiomycota, Aphyllophorales), 65: 107-111. 1997.

Martinez, Alicia E., and Alicia M. Godeas. Pseudostracoderma, a new genus of hyphomycetes from Tierra del Fuego, Argentina, 65: 453-458. 1997.

McKenzie, Eric H. C. Book Reviews, 65: 521-524. 1997.

Melo, I., see Tellería & al.

Melo, Ireneia, see Hjortstam and Melo

Methven, A. S., see Sundberg & al.

Monoson, H. L., see Sundberg & al.

Moser, Meinhard M. Contribution to the knowledge of North American Suillus species (Basidiomycotina, Boletales), 65: 391-402. 1997.

Niemelä, Tuomo, see Dai & al.

Norvell, Lorelei L., see Redhead & al.

Peña, Nora I., and Angélica M. Arambarri. Argentinomyces naviculisporis gen. et sp. nov., a new marine lignicolous ascomycete from Mar del Plata, Argentina, 65: 331-337. 1997.

Pomella, A. W. V., and R. W. Barreto. Leaf scorch of purple nutsedge (Cyperus rotundus) caused by Ascochyta cyperiphthora sp. nov., 65: 459-468. 1997.

Rajchenberg, Mario, see Greslebin and Rajchenberg

Ramaley, Annette W., and Margaret E. Barr. Syncarpellaribis sp. nov. and its anamorph. Syntholus ribis gen. et sp. nov., 65: 499-506. 1997.

Redhead, Scott A., Lorelei L. Norvell, and Eric Danell. Cantharellus formosus and the Pacific Golden Chanterelle harvest in western North America, 65: 285-322. 1997.

Ryvarden, L., see Kõljalg and Ryvarden

Sagara, Naohiko, see Wang and Sagara

Saleesh, M. K., S. Shankara Bhat, and N. S. Devaki. Phomopsis azadirachtae sp. nov. from India, 65: 517-520. 1997.

Shankara Bhat, S., see Sateesh & al.

Simmons, Emory G. Alternaria Themes and Variations (151-223), 65: 1-91. 1997.

Stamets, Paul, see Guzmán & al.

Sundberg, W. J., A. S. Methven, and H. L. Monoson. Rhodotus palmatus (Basidiomycetes, Agaricales, Tricholomataceae) in Illinois, 65: 403-410. 1997.

Tadych, Mariusz, see Błaszkowski and Tadych

Tapia, Fidel, see Guzmán & al.

Tellería, M. T., I. Melo, and M. Dueñas. An annotated list of the Aphyllophorales of the Balearic Islands, 65: 353-377. 1997.

Termorshuizen, A. J., and E. J. M. Arnolds. Compatibility groups, species concepts and nomenclature in European Armillaria species, 65: 263-272. 1997.

Tibell, Leif, see Aptroot and Tibell

Vánky, Kálmán. Taxonomical studies on Ustilaginales. XVI., 65: 133-158. 1997.

Vánky, Kálmán. Taxonomical studies on Ustilaginales. XVII., 65: 159-182. 1997.

Vánky, Kálmán. Websdanea, a new genus of smut fungi., 65: 183-190. 1997.

Verkley, Gerard J. M., and Huub A. van der Aa. Striosphaeropsis mirabilis anam. gen. et sp. nov., a new coelomycete isolated from soil in Papua New Guinea, 65: 113-119. 1997.

Vujičić, Radmila, see Glamočlija & al.

Vukojević, Jelena, see Glamočlija & al.
Wang, Yei-Zeng, and J. van Brummelen. A new species of Ascobolus from Taiwan, 65: 443-446. 1997.

Wang, Yei-Zeng, and Naohiko Sagara. Pezizaurinophila, a new ammonophilic discomycete, 65: 447-425. 1997.

Zalar, Polona, Grégoire L. Hennebert, Nina Gunde-Cimerman, and Aleska Cimerman. Mucor troglophilus, a new species from cave crickets, 65: 507-516. 1997.
Zang, Mu, see Dai & al.

INDEX TO FUNGOUS AND LICHEN TAXA, VOLUME SIXTY-FIVE

This index includes names of genera, infrageneric taxa, species, and infraspecific taxa, as well as new names of suprageneric taxa. All new names are in CAPITALS. The page number on which a new name is proposed is followed by an asterisk (*).

Abortiporus biennis 371 Acanthophysium dextrinoideocerussatum 356, 371 minor 371 Acrophragmis levispora 129 Adustomyces **lusitanicus** 371 Aegerita 494, 496 candida 495-496 viridis 495 Agaricus candidus 245 ramealis 254 ericetorum (rank? beta) vaillantii 255 melleus 269 nigripes 258 obscurus 268 synodicus 258 vaillantii 255 Alternaria 1-11, 16-19, 23, 26, 29, 35-37, 40, 45-46, 48-49, 52-53, 56, 60, 62, 66-67, 70, 78, 81-82, 86 AGERATI 1, 53, 63*-65, 78, 80, 84 alternata 2-3, 5, 7-8, 17 ARGYRANTHEMI 1, 32*-34 ARGYROXIPHII 1, 40*-41 BLUMEAE 1, 64, 81*, 83-84 brassicae 34 calendulae 37, 60, 66-70 carolinaeana 17, 80-81 carthami 46, 48-49, 51-53 chrysanthemi 36 cichorii 37, 45-47, 52, 84 cinerariae 28-32 CIRSINOXIA 1, 72*-73, 75, 86 DANIDA 1, 78*-80 dennisii 18 enhydrae 37 enydrae 37-38 erumpens 7, 17 florigena 16 FRANSERIAE 1, 19*-20 helianthi 4, 35 helianthicola 18 helianthinficiens 37, 39 hispidula 7 infectoria 2-4, 18

leucanthemi 35-36 limaciformis 20

molesta 19-20

mouchaccae 20 NATTRASSII 1, 76, 84*-86 neergaardii 53 panax 34, 44 PETALICOLOR 1, 8*-9, 11, 16 porri f. sp. solani 78 protenta 60, 70-72 readeri 54-55 rhudbekiae 26 rudbeckiae 26-28 rudis 4 scorzonerae 37, 56-57, 59 senecionis 29-30 solani 78 sonchi 3-4, 23-25, 28-29, 34 steviae 42-44 tagetica 60, 76 tenuis 4-5 tenuissima 2-3, 5-6 zinniae 37, 53, 59-63, 77, 80 Amaurodon 107, 110-111 hydnoides 107*-111 mustialaensis 111 viridis 110-111 Amphinema byssoides 356-357, 371 tomentellum 357 Amphobotrys 457 Anthracoidea 226, 411-413 caricis 225-226 caryophylleae 223, 225 elynae 225-226, 233 hostianae 223, 226 humilis 223, 226 irregularis 223, 226 limosa 226 paniceae 233, 226 pratensis 226 sempervirentis 223, 227 ANTHRACOIDEACEAE 411, 413* Antrodia albidoides 357, 371 ramentacea 357, 371 serialis 371 sinuosa 357, 371 Anungitea 93, 95-96 antillana 95, 98 BREVICATENATA 93, 94*-97 caespitosa 95-96 continua 95-96 fragilis 95-96

globosa 95-96

[Anungitea] heterospora 95, 98 Auriculariopsis longicatenata 95, 98 ampla 371 occidentalis 95-96, 98 palustris 95-96 Bauhinus 419-421 parvispora 95-96 anomalus 421 rhabdospora 95, 98 **AVICULARIS 421*** syzygii 95-96, 98 **BETONICAE 421*** triseptata 95 **BISTORTARUM 421*** uniseptata 95, 98 **BOSNIACUS 421* CALANDRINIAE 422*** Anungitopsis triseptata 95 CARDUI 422* Anzia 482 CEPHALARIAE 422* jamesii 481-482 CICHORII 422* minor 482 **CLAYTONIAE 422*** NIUGINIENSIS 481*-482, 484 CORDAE 422 Aphanobasidium 367 FLOSCULORUM 422* GAYOPHYTI 422* bourdotii 367 sphaerosporum 367 **GOEPPERTIANUS 422*** ARGENTINOMYCES 331, 333*, 335 **INTERMEDIUS 422*** NAVICULISPORIS 331-332, 333*-335 **KOENIGIAE 423*** Armillaria 263-264, 266-269 borealis 264, 267-268 **KUEHNEANUS 423*** MARGINALIS 423* bulbosa 264, 269 **MORINAE 423*** cepistipes 263-264, 268-270 NANNFELDTII 423* f. pseudobulbosa 268 **NELSONIANUS 423*** europaea 267 NEPALENSIS 423* gallica 263-264, 267, 269 ONOPORDI 423* lutea 263-265, 267-270 OXALIDIS 423* mellea 264, 268 PARLATOREI 423* PINGUICULAE 423* var. bulbosa 269 obscura 268 PIPERII 424* ostovae 264, 268 **PUSTULATUS 424*** pseudobulbosa 268 **RETICULATUS 424*** varia 267 RHEI 424* Arthonia 345 scabiosae 421 radiata 345 SCOLYMI 424* Ascobolus 443 scorzonerae 421 cervinus 444 STYGIUS 424* crenulatus 444 SUCCISAE 424* FUSHANUS 443*, 445-446 THLASPEOS 424* hansenii 444 tragopogonis-pratensis 421 michaudii 444 utriculosus 421, 424 minutus 444 vinosus 421 Ascochyta 459, 461, 465-466 WARMINGII 425* caricis-arenariae 465 Beltrania caricis-hebridensis 465 rhombica 104 caricis-ripariae 465 Bjerkandera cypericola 460, 465-466 adusta 371 cyperi-ochracei 465-466 Boidinia CYPERIPHTHORA 459, 461*, 463-466 peroxydata 371 kurdistanica 465 Boletopsis papyricola 465-466 leucomelaena 371 tokyensis 465 Boletus 473 Asterodon badius 469, 471 ferruginosus 280 Boninohydnum Asterostroma pini 437 andinum 197-198 Botryobasidium cervicolor 357, 360 botryosum 357, 371 gaillardii 353-354, 357-359, 371 Botryohypochnus isabellinus 358, 371 Athelia arachnoidea 371 Botrytis 457 decipiens 357, 371 Brevicellicium epiphylla 371 olivascens 358, 371

Bulbothrix 483	Chikaneea
suffixa 482-483	holleroniae 103
TUSKIFORMIS 481, 482*-484	Chromelosporium 457
	Cintractia 174
Caeoma	
utriculosum 424	algeriensis 159, 172, 174
	caricis 225-226
Camarosporium 505	crus-galli 234
Canomaculina 475-476	elynae 225
CONFERENDA 476*	limosa 226
CRISTOBALII 477*	melinis 133, 141
ERUBESCENS 477*-478	pratensis 226
FUMARPROTOCETRARICA 477*	Cladosporium 6-7
HAITIENSIS 477*	
	Clintamra 189
KWALENSIS 477*	Collybia
LARENSIS 477*	dealbata 257
LEUCOSEMOTHETA 477*	flaccida 242
NEOTROPICA 477*	praeacuta 248
pilosa 475	troyana 247
RECIPIENDA 477*	Coltricia
REITZII 477*	vallata 281
SPINIBARBIS 477*-478	
	Coniella 113, 116
SUBCAPERATA 477*-478	Coniophora 427
SUBSUMPTA 477*	arida 371, 429-430, 433, 441
SUBTINCTORIA 477*	var. arida 359, 429
URUGUENSIS 478*	var. suffocata 371
Cantharellus 295	hanoiensis 429, 431, 441
Subg. Cantharellus 292, 315	KAUAIENSIS 427, 429, 431*-432, 441
Sect. Cantharellus 292	olivacea 371, 428, 433-434, 441
amethysteus 310-311	
	puteana 371, 429, 433-435, 441-442
cibarius 286-287, 289-290, 292, 294-	Coniosporium 7
295, 302-304, 307-308, 310-313,	lineare 144
316-317	Coniothyrium 113, 116, 505
var. amethysteus 310-311	Coriolopsis
var. cibarius 292, 303, 308, 310, 312-	gallica 371
313, 316-317	Corticium
var. pallidifolius 316	furfuraceum 328
var. ROSEOCANUS 286, 299, 304,	granulare 326
308-309, 313*, 315-316	praeteritum 329
var. salmoneus 310	pruinum 368
var. squamosus 307	roseum 371
var. squamulosus 307	subpallidulum 328
formosus 285-292, 295, 297-299, 301-	Craterellus
305, 307-308, 310-317	cibarius
friesii 308	var. amethysteus 311
odoratus 294, 316	Crustoderma
pallens 286, 311, 316-317	dryinum 359, 371
subalbidus 286, 290, 302, 315-316	Cyclomyces 274
tubaeformis 289	Cyclothyrium 505-506
Ceratobasidium	insitivum 505
cornigerum 371	juglandis 505
Cercospora	Cystostereum
caricis 460	subabruptum 371
Ceriporia	Cytoplea 116, 505-506
viridans 359, 371	parasitica 506
Ceriporiopsis	Cytosporella 505
pannocincta 266	
Cerocorticium 367	Dactylaria 128
canariensis 353-354, 367	higginsii 460
Cetraria 476	Daedalea
Cheiromoniliophora 121	quercina 371
gracilis 126	Dendrocorticium 260 271
var. gracilis 125	polygonioides 360, 371

Gloeophyllum

[Dendrothele] canariensis 367 abietinum 361, 372 griseocanna 367 sepiarium 372 Dichobotrys 457 trabeum 372 Dichomitus Glomus 385 campestris 360, 371 constrictum 385 sqalens 361, 371 corymbiforme 385 Dictyosporium 121 Gymnopus bulbosum 127-128, 130 ramealis 254 Diplodia Gymnosporium agaves 118 lineare 144 Discostroma 506 Gyrodontium Duosporium serpuloides 437 yamadanum 460 versicolor 428, 435-437, 441 Duportella malenconii 371 Heliomyces nigripes 258 Embellisia 1, 4, 18-19 Helminthosporium 5, 36 dennisii 18-19 helianthi 35 leptinellae 19 Hemimycena novae-zelandiae 18 subnigricans 246 Endophragmiella 121 Heterobasidion lignicola 129 annosum 265-266 Endosporisorium Heterotolyposporium effusum 143 lepidospermae 147 loudetiae 161 Hexagonia Entrophospora 385 nitida 372 Entyloma Hyalodendron 93, 101 eryngii 227 lignicola 101 feurichii 227 OUDEMANSIELLICOLA 93, 97, 98*oreochloae 227 99, 101 Epicoccum 6 Hyaloscypha Epithele lignicola 495 canariensis 367 Hydnum **Epochnium** balsameum 324 macrosporoideum 9 bicolor 323 henningsii 437 Farysia merulioides 437 trichopterygis 159-161 polymorphum 437 Favolus 473 serpuloides 437 brasiliensis 473 serratum 324 tenuiculus 473 subtile 324 trachypus 469, 471 Hydropus Fibriciellum omphaliformis 256 sylvae-ryae 371 Hymenochaete Fistulina cinnamomea 361, 372 hepatica 371 rubiginosa 372 Fornes Hyphoderma medioburiense 361, 372 fomentarius 371 Fomitiporia pallidum 372 erecta 353 praetermissum 361, 372 Fomitopsis puberum 361, 372 pinicola 371 Hyphodermella corrugata 361, 372 Ganoderma Hyphodontia 205, 209 applanatum 371 (rank?) subalutacea 205-206 australe 371 alutaria 372 lucidum 371 arguta 372 Gelatinodiscus 447 aspera 362, 372 Glischroderma 457 bugellensis 372 Gloeocystidiellum cineracea 209 clavuligerum 266 crustosa 362, 372 olivaceo-album 361, 372 **DECORTICANS 205*, 207-209**

floccosa 209

sambuci 362, 372 stipata 372 subalutacea 209, 372 var. floccosa 362, 372 var. subalutacea 362 Hypochnicium sphaerosporum 362, 372 Hypotrachyna costaricensis 483 flexilis 483, 485 TERRICOLA 481, 483*-485

[Hyphodontia] juniperi 362, 372

Inocutis 274 Inocybe 268 Inonotopsis 274 Inonotus 273-274, 277, 279, 281 andersonii 277, 281 corruscans 280 cuticularis 278, 281, 362, 372 dryadeus 278-279, 281, 372 dryophilus 273, 279-280 EXILISPORUS 273, 275*-277 flavidus 277, 280 hastifer 273, 280-281 hispidus 278, 281, 372 krawtzewii 281 leporinus 273, 278, 280-281 levis 273, 278-281 nodulosus 273, 281 obliquus 277, 280-281 orientalis 281 pruinosus 277, 280-281 pseudohispidus 273, 279 radiatus 278, 281 var. licentii 281 rheades 278-281 sciurinus 280 sp. 1 274 subiculosus 277, 280-281 substygius 281 tamaricis 278-281, 363, 372 texanus 279 tomentosus 278, 280-281 triqueter 278, 280-281 rank? "group" Inocutis 273, 279-280

Jacksonomyces furfurellus 328

Kamatia indica 125 Kneiffia subgelatinosa 324

Laetiporus sulphureus 372 Lagarobasidium detriticum 363, 372 Lasiodiplodia 118 theobromae 118 Laxitextum bicolor 363, 372 Lenzites betulinus 372 Leucogyrophana 427 mollusca 428, 437, 441 Litschauerella clematitis 363, 372 Lopharia spadicea 372

Macalpinomyces
effusus 142-143
lepidospermae 145
loudetiae 160-161, 169
NIGRITANAE 133, 143*, 146
rodwayi 145
TRICHOPTERYGIS 159, 163*-164,
169, 171
TRISTACHYAE 159, 165*-166, 169,
171
zonotriches 160, 163, 169

Macrospora readeri 54 Macrosporium 2-3, 10, 16, 23, 26, 46, 48, 52, 66, 76 anatolicum 49-50, 52 arnicae 12 atrichum 6 calendulae 66-68, 70 carthami 46, 48-49, 52-53 caudatum 5 centaureae 39-40 cirsicola 76 cirsii 12, 14 erumpens 7, 17 florigenum 10-11, 16 inquinans 6 kriegerianum 12 puccinioides 9-10 readeri 36, 54, 56 rhaponticae 21 rhapontici 21 sonchi 23, 26 tau-saghyzianum 56, 59 Marasmiellus 237-238, 241 Sect. Candidi 239, 245

Marasmiellus 237-238, 241
Sect. Candidi 239, 245
Sect. Dealbati 239, 245
Sect. Dealbati 239, 255
Sect. Marasmiellus 239, 247
Sect. Rameales 240, 249, 253
Sect. Stenophylloides 238, 241
Sect. Tetrachroi 239, 247
Sect. Tricolores 239-240, 245
Subsect. Dealbatini 257
Subsect. Inodermini 257
Subsect. Opacini 249, 253
Subsect. Quercini 255
Subsect. Ramealini 240, 253
albofuscus 247
albuscorticis 245-246
APPALACHIENENSIS 237, 249*, 251-253
bermucensis 253

bermucensis 253 candidus 239, 242, 245-247 dealbatus 241, 257

[Marasmiellus] eburneus 253 hirtellus 363, 372 flaccidus 237-238, 242-244 graminis 245 Merulius tremellosus 372 humillimus 253 Microbotryum 234, 412-413, 420-421 inoderma 247 cordae 422 nigripes 258-259 nodosus 240, 254-255 dianthorum 223, 227, 233 violaceum 228 omphaliformis 241, 256 Microsphaeropsis 113, 116, 118 opacus 249, 254 olivacea 118 petiolorum 253 Mirandina 121, 128 praeacutus 239, 247, 249 arnaudii 128 ramealis 240, 253-254 fragilis 128 var. californicus 254 SPECIOSA 121, 125*-128 semiustus 247 Moesziomyces setulosus 242 bullatus 412 stenophyllus 241, 257 Monodictys 9, 11 stenosporus 253 Morchella 286 subnigricans 239, 246 Mucor 507, 514, 516 synodicus 241, 258 bacilliformis 507-508, 512-516 tenerrimus TROGLOPHILUS 507-508*, 510, 512var. setulosus 238, 242, 244, 246 516 tricolor Mycoacia 328-329 var. graminis 239-240, 245 aurea 363, 372 troyanus 239, 247 vaillantii 241, 255-256 fuscoatra 363, 372 meridionalis 329 Marasmius 237 pinicola 329 androsaceus 265 Mycoaciella 326, 328 candidus 245 bispora 326 var. setulosus 242 Mystrosporium 5 dealbatus 257 stemphylium 4-5 epiphyllus 255 graminis 245 Nadvornikia 343 magnisporus 246 Neofuscelia 485 nigripes 258 adpicta 486 omphaliformis 256 CONVEXA 481, 484-485* opacus 249 MALCOLMII 481, 486*-487 palmivorus 247 namaensis 485 pandanicola 247 olivetorica 486 praeacutus 247 plana 486 ramealis 254 remnantia 485 ramulinus 256 Neovossia rotula 265 pulcherrima 140 salignus 256 Nimbya 1, 4, 21, 40, 81 stenophyllus 257-258 RHAPONTICI 1, 21*-22 subnigricans 246 subsynodicus 257-258 synodicus 258 bicolor 323, 326 troyanus 247 furfurella 328 vaillantii 255 Oidiodendron Melanomma 505 griseum 130 Melanophloea 339 tenuissimum 130 Melanotaenium 151 Oidium apludae 134, 136 corticale 494 arthraxonis 139 Oligoporus arundinellae 151, 156 fragilis 364 brachiariae 133-134, 138-139, 141 inocybe 363, 372 var. arthraxonis 139 leucomallellus 364, 372 echinochloae 133, 139, 156 tephroleucus 372 Onnia 274, 280 INDICUM 133, 149*-151, 155 ischaemianum 149-151, 155 Opegrapha 345 tuberculatae 151, 156 varia 345 Meruliopsis Orphanomyces 189 corium 363, 372 Ostracoderma 453, 455, 457

Oudemansiella	schweinitzii 373
canarii 98, 101	Phaeoseptoria 505
Oxyporus	Phanerochaete
populinus 372	deflectens 366, 373
	galactites 373
Papulaspora 494, 496	martelliana 366, 373
viridis 496	sanguinea 366, 373
Paraparmelia	sordida 366, 373
bourgeanica 490	tamariciphila 373
inselbergia 490	xerophila 366, 373
Parasympodiella 93, 102-103	Phellinidium 274
africana 103	Phellinus 277, 281
clarkii 102	andinopatagonicus 277
elongata 103	discipes 277
INAEQUISEPTATA 93, 100, 101*-103	
laxa 102-103	ferreus 366, 373
longispora 103	ferruginosus 366, 373
minima 102	gilvus 281
podocarpi 103	igniarius 373
Parmastomyces	pini 373
transmutans 353-354, 364, 372	pomaceus 373
Parmelia 477	
erubescens 477-478	punctatus 366, 373
haitiensis 477	robustus 367, 373
	torulosus 373
kwalensis 477	tuberculosus 373
leucosemotheta 477	Phlebia 328
recipienda 477	chiricahuaensis 328
spinibarbis 477	flavido-alba 373
subcaperata 477	livida 367, 373
subsumpta 477	lutea 328
subtinctoria 477	subochracea 367, 373
uruguensis 478	subserialis 367, 373
Parmelina 475	Phlebiella 353-354, 367
Parmotrema 475	ALBIDA 353-354, 367*
conferendum 476	BOIDINII 353-354, 367*
fumarprotocetraricum 477	BOURDOTII 353-354, 367*
larense 477	CANARIENSIS 353-354, 367*, 373
neotropicum 477	PRUINA 353-354, 368*
reitzii 477	sphaerospora 367
Paxillus	Phlebiopsis
corrugatus 427, 438	gigantea 368, 373
curtisii 427, 438	ravenelii 368, 373
Peniophora	Phomopsis 517-520
boidinii 353-354, 364, 373	abdita 517, 519-520
cinerea 373	AZADIRACHTAE 517*-520
incarnata 373	lactucae 517
lycii 364, 373	Phragmodothella 506
meridionalis 365, 373	Phylloporia 274
quercina 365, 373	ribis 373
reidii 373	Phymatotrichopsis 457
rufomarginata 354, 365, 373	Pithomyces 6
tamaricicola 365, 373	chartarum 6
versicolor 364-365, 373	Planetella 411, 413
versiformis 373	Pleospora
Perenniporia	herbarum 12, 54
ochroleuca 365, 373	Polydesmus
rosmarini 365, 373	petalicolor 8, 16
Peziza 450	Polyporus 469, 473
korfii 447	arcularius 373
natrophila 450	badius 469, 471, 473-474
quelepidotia 450	brumalis 373
URINOPHILA 447, 448*-449, 451	dibaphus 469, 471
Discontinu	1 270

Rigidoporus

ulmarius 374

[Polyporus] meridionalis 373 Rimeliella 475-476 picipes 469, 471 cristobalii 477 tuberaster 373 subcaperata 475 Polyscytalum Royoporus 473 harae 103 BADIUS 469, 471*, 473-474 Psathyrella 266 spathulatus 473-474 candolleana 266 Pseudaegerita 493-494, 496 Sagenomella caffera 496 striatispora 118 corticalis 494, 496 Schizonella matsushimae 496 cocconii 228 OSSIFORMIS 494*-496 melanogramma 228 viridis 495-496 Schizopora Pseudodictyosporium radula 368, 374 wauense 125 Schroeteria 412 Pseudomerulius Scutellospora 387 curtisii 427-428, 438, 441 armeniaca 386 coralloidea 387-388 PSEUDOSTRACODERMA 453, 455*, 457 TERRICOLA 453, 445* dipurpurescens 385 Pseudotomentella gregaria 387-388 tristis 373 heterogama 387 Psilocybe 191, 193-194 persica 379-382, 384-388 Sect. Cordisporae 191, 194-195 verrucosa 387-388 caerulescens 191, 193, 195 Scytinostroma heliconiae 194 galactinum 368, 374 pseudobullacea 191 mediterraneense 368, 374 tampanensis 191 Serpula WEILII 191-193*, 195 himantioides 374, 428, 438-439, 441 incrassata 428, 439-440, 442 Pterospora Skeletocutis nigripes 258 Puccinia lenis 374 canaliculata 460 nivea 368, 374 Pulcherricium percandida 369, 374 caeruleum 368, 374 Skvortzovia 328 Pulchromyces 457 furfurella 328 Punctularia Solosympodiella subhepatica 368, 374 clavata 103 Pycnoporus 374 Sorosporium Pyrgillus 343 apludae 133-135 Pyrrhoderma 274 apludae-aristatae 133-135 aristidae-amplissimae 159-161 Radulomyces brachiariae 138-139 confluens 368, 374 brachiariae-ramosae 133, 138-139 molaris 368, 374 decorsei 160 Relicina 483 icosiense 229 acrobotrys 483 lineare 144 Resinicium 323-324, 328 loudetiae 160-161 bicolor 323-324, 326 loudetiae-superbae 159-160, 162 ovarium 133, 138 bisporum 326 chiricahuaensis 328 saponariae 229 FRIABILE 323, 324*-326, 328 tristachydis 159-160 furfuraceum 324, 328 Sphacelotheca furfurellum 328 algeriensis 174 granulare 323-324, 326-327 andropogonis 229 luteum 328 apludae 134 meridionale 329 apludae-aristatae 134 bosniaca 231 catinata 159-160, 162 pinicola 329, 374 praeteritum 329 Rhizophila 335 chudaei 133, 142-143 Rhodotus 409 diplospora palmatus 403-409 var. verruculosa 138

hydropiperis 424

ischaemi 229

1

[Sphacelotheca] operta 141 Strionemadiplodia 118 serrata 133, 138, 140 STRIOSPHAEROPSIS 113, 115*, 118 tristachyae-hispidae 159-160, 162 MIRABILIS 113-115*, 117-118 ustilaginea 231 Stylaspergillus 102 Sporidesmium Subulicystidium fumago 6 longisporum 369, 374 irregularis 5 Subulispora macrosporioides 9-10 britannica 103 scorzonerae 36, 56, 59 harae 103 Sporisorium 134, 138, 141, 153, 160 Suillus 391, 400-401 ALGERIENSE 159, 174*, 177 albidipes 400 andropogonis 229 bellinii 400 apludae 134, 136 brunnescens 391, 393, 398, 400-401 APLUDAE-ARISTATAE 133, 135*flavidus 391-394, 396 hololeucus 401 CATINATUM 159, 162*, 169 luteus CHUDAEI 133, 143*, 145 f. alba 401 DECORSEI 159-160*, 169 pallidiceps 400 iseilematis 134, 153 sibiricus 396 ISEILEMATIS-PROSTRATI 133, SUBALPINUS 391, 393, 397*, 399-400 151*-153, 155 umbonatus 391-394, 396-397 LOUDETIAE-PEDICELLATAE 159. Sympodiella 165*, 168-169, 17 acicola 103 LOUDETIAE-SUPERBAE 159, 162* roystoneae 103 MELINIS 133-134, 141*-142 Syncarpella 499, 504-505 MISHRAE 133, 135*-136 occidentalis 505 mitchellii 153 RIBIS 499-500*, 502-505 tumefaciens 505 ordense 138, 140-141 OVARIUM 133, 138*, 141 SYNTHOLUS 499, 501*, 504-506 polliniae 229 RIBIS 499-501*, 504-505 rhynchelytri 141-142 SERRATUM 133, 140*-141 TRISTACHYAE-HISPIDAE 159, 162*, panuoides 427-428, 440-441 Tetrapyrgos 238, 259 nigripes 245, 258-259 TRISTACHYDIS 159, 169 Sporodesmium 36 Thecaphora Steccherinum aterrima 229 ochraceum 369, 374 lepidospermae 145 Stemphylium 1, 4-5, 11-14, 16-18, 20 rodwayii 146 botryosum 12, 14, 16 Thyridaria f. lactucum 15 rubro-notata 505 callistephi 13, 15-16 Thyrospora chisha 14-15 chisha 14-15 CIRSII 1, 13-14* Tilletia 411 cordae 5 apludae 134, 136 airae 172, 175 globosum 13 herbarum 12, 15 BRACHIARIAE 133, 140*-141 insidens 10 cerebrina 172, 175 KRIEGERIANUM 1, 12*-13 contraversa 229 decipiens 229 laxum 11 lycopersici 13, 15, 17-18 foetida 229 nabarii 13, 17 laevis 229 solani 15 pulcherrima 140 vesicarium 16 var. brachiariae 133, 138, 140 Stereum rhei 424 gausapatum 374 sphaerococca 229 hirsutum 369, 374 thlaspeos 425 ochraceoflavum 374 vetiveriae 142, 144-145 rugosum 374 sanguinolentum 374 vittata 136 Tolyposporella 189 Stigmina 9-10 brachiariae 134, 138-139 Streptobotrys 457 linearis 142-143, 145 Striodiplodia 118 Tolyposporium 147, 149, 189

[Tolyposporium] aterrimum 229 anemones 229-230 decorsei 159-160 cepulae 230 junci 229 floccosa 230 lepidospermae 145, 147, 149 leimbachii 223, 230 MEGAGLOMERULOSUM 133, 147*magica 230 148, 155 primulae 230 rodwayii 145-147, 149 primulicola 223, 230, 233 Tomentella ranunculi 230 bresadolae 369, 374 sorosporiodes 231 bryophila 374 syncocca 231 crinalis 374 Ustacystis 189 neobourdotii 369, 374 ramosissima 369, 374 maydis 412 waldsteiniae 412 rubiginosa 369, 374 zeae 412 Tomentellastrum Ustilago 173, 411-413, 419-421 badium 369, 374 agrestis 232 Tomentellina agropyri 172, 175, 177 fibrosa 369, 374 apludae 134 Trametes arundinellae 134-135 hirsuta 374 avenae 231 ljubarski 374 avicularis 421 suaveolens 374 betonicae 421 bistortarum 231, 421 versicolor 374 Trechispora BOISSIERAE 133, 137*-138, 146 cohaerens 369, 374 bosniaca 231, 421 farinacea 369, 374 bromivora 231 microspora 370, 374 var. macrospora 138 stellulata 370, 374 bullata 138, 231 var. macrospora 138 Trichaptum abietnum 374 calandriniae 422 fusco-violaceus 374 cardui 422 Trichoconis 93, 104 cephalariae 422 ANTILLANA 93, 99-100, 103*-104 cichorii 422 caudata 104 claytoniae 422 Tricholoma comburens 172-173, 177 magnivelare 286 commelinae 412 Trimmatostroma 6-7 cordae 422 cynodontis 155, 223, 231-232 danthoniae 159, 172-174, 181 Tuber 211-212 aestivum 211-216, 219-220 macrosporum 211-214, 216-217, 220 dregeana 134, 155, 172, 175, 177, 179, magnatum 211-214, 218-220 melanosporum 211-215, 219-220 DREGEANOIDES 159, 176-177*, 179 Tubulicium duriaeana 232 vermiferum 370, 374 effusa 143 **Tubulicrinis** ewartii 134, 153 calothrix 370, 374 exigua 172-173 gracillimus 266, 370, 374 flosculorum 422 incrassatus 370, 374 gayophyti 422 sororius 374 goeppertiana 422 Tuburcinia hordei 232 hellebori-viridis 230 hypodytes 232 sorosporoides 231 intermedia 422 Tylophorella 340, 345, 347, 350 koenigiae 423 pyrenocarpoides 345 kuehneana 423 linearis 144 Ulocladium 4, 10 lupini 134, 156 botrytis 10 lyginiae 183-184 marginalis 223, 232-233, 423 Uredo bistortarum 421 maydis 232 (rank? alpha) pustulata 424 (rank? beta) marginalis 423 microspora 172-173 morinae 423 flosculorum 422 nannfeldtii 423 Urocystis nebrodensis 223, 232

[Ustilago] nelsoniana 423 nepalensis 423

nuda 232 onopordi 423

operta 138, 141 oxalidis 423 pappophori 136

parlatorei 423 pinguiculae 424 piperii 424

pustulata 232-233, 424 readeri 172, 175 residua 172, 174, 177

reticulata 424 rhei 424

rhynchelytri 134, 141 salveii 173

salveii 173 scabiosae 234

SCHOENEFELDIAE 159, 179*-180

scolymi 424 scorzonerae 234 segetum

f. danthoniae 172, 174 sieglingiae 175 sorghi-stipoidei 134, 153

striiformis 172-173, 175, 177 stygia 424

succisae 424 thlaspeos 425

tragopogonis-pratensis 234, 420 trichophora 223, 234

trichophora 223, 234 trichopterygis 160-161 tritici 234

utriculosa 424 vetiveriae 142-143, 145 vinosa 233-234 violacea 227-228 warmingii 425 Ustilaginoidea 159, 161

Valsaria insitiva 505

Vararia 197 cremeoavellanea 374 cunninghamii 197-199 INCRUSTATA 197, 201*-202

Verrucobotrys 457 Vuilleminia comedens 370, 374 macrospora 370, 374 megalospora 370, 374

WEBSDANEA 183-184*, 189-190 LYGINIAE 183, 184*-189 WEGEA 339-340*, 342, 345, 347, 350 TYLOPHORELLOIDES 339, 340*-342, 345-348

Xanthochrous 274
Xanthoparmelia
exillima 489-490
hypoleia 488
HYPOLEIELLA 481, 487-488*
khomasiana 488-489
MACCARTHYI 481, 487, 488*-489
MAYRHOFERI 481, 487, 489*-490
orchardii 490
weberi 489

Xenasma pruinosum 374 Xenasmatella albida 367